

Marca temporal	Código del paciente	Diente con recesión	Margen gingival t0	
10/23/2024 11:33:23		1	35	-2
10/23/2024 11:35:04		1	36	-3
10/23/2024 11:37:11		1	37	-2
10/23/2024 11:40:07		2	35	-3
10/23/2024 11:41:23		2	36	-3
10/23/2024 11:42:44		2	34	-2
10/23/2024 12:02:53		3	23	-3
10/23/2024 12:04:12		3	24	-4
10/23/2024 12:05:37		3	35	-4
10/23/2024 12:06:43		3	34	-4
10/23/2024 12:08:36		3	45	-4
10/23/2024 12:09:38		3	44	-2
10/23/2024 12:13:11		4	15	-3
10/23/2024 12:15:39		4	14	-2
10/23/2024 12:16:51		4	13	-2
10/23/2024 12:17:56		4	12	-2
10/23/2024 12:20:47		4	22	-1
10/23/2024 12:21:44		4	23	-3
10/23/2024 12:22:42		4	24	-3
10/23/2024 12:23:57		4	25	-1
10/23/2024 12:24:51		4	26	-2
10/23/2024 12:37:22		5	34	-2
10/23/2024 12:38:51		5	44	-2
10/23/2024 12:40:20		5	45	-2
10/23/2024 15:41:37		6	14	-2
10/23/2024 15:42:54		6	15	-2
10/23/2024 15:45:04		6	16	-2
10/23/2024 15:49:11		7	34	-2
10/23/2024 15:50:58		7	35	-3
10/23/2024 15:52:25		7	44	-4
10/23/2024 15:53:23		7	45	-4
10/23/2024 16:06:14		8	13	-2
10/23/2024 16:07:54		8	14	-2
10/23/2024 16:09:16		8	44	-2
10/23/2024 16:10:10		8	45	-2
10/23/2024 16:48:40		9	33	-2
10/23/2024 17:31:00		10	45	-3
10/23/2024 17:32:34		10	46	-3
10/23/2024 17:41:21		11	14	-2
10/23/2024 17:42:10		11	15	-2
10/23/2024 17:42:58		11	16	-2

Tamaño de la recesión t0(en mm)	Fenotipo periodontal t0	Encía queratinizada(en mm) t0
2	1	3
3	1	2
2	1	3
3	1	3
3	1	2
2	1	3
3	2	2
4	2	3
4	2	4
4	2	4
4	2	0
2	2	4
3	2	4
2	2	4
2	2	4
2	2	4
1	2	5
3	2	4
3	2	4
1	2	2
2	2	3
2	2	2
2	2	4
2	2	3
2	1	4
2	1	3
2	1	4
2	1	2
3	1	2
4	1	2
4	1	2
2	2	3
2	2	3
2	2	3
2	2	3
2	2	4
3	2	4
3	2	4
2	2	4
2	2	4
2	2	4

Hábitos: Bruxismo	Hábitos: cepillado traumático	Cantidad de recesiones
1	1	3
1	1	3
1	1	3
1	1	3
1	1	3
1	1	3
0	0	6
0	0	6
0	0	6
0	0	6
0	0	6
0	0	6
0	1	9
0	1	9
0	1	9
0	1	9
0	1	9
0	1	9
0	1	9
0	1	9
0	1	9
0	1	9
0	0	3
0	0	3
0	0	3
0	1	3
0	1	3
0	1	3
1	1	4
1	1	3
1	1	4
1	1	4
0	1	4
0	1	4
0	1	4
0	1	4
0	1	4
0	1	2
0	0	2
0	0	2
1	1	3
1	1	3
1	1	3

Índice estético del cubrimiento radicular t3: niv: Índice estético del cubrimiento radicular t3: Co

3	1
0	0
0	0
3	1
3	1
3	1
6	1
6	1
3	1
3	1
3	1
3	1
3	1
6	1
6	1
6	1
6	1
3	1
3	1
3	1
3	1
	1
6	1
6	1
6	
6	1
6	1
6	1
6	1
3	1
3	1

Índice estético del cubr sensibilidadT3 (1-3 me: dolor t3 (1-3 meses) Margen gingival t3 (1-3

1	1	3	-1
1	1	3	-2
1	1	3	-4
1	0	3	-1
1	0	3	-2
1	0	3	-2
	0	1	0
1	0	1	-1
1	0	1	-1
1	0	1	-1
1	0	1	-1
1	0	1	-2
1	0	1	-2
1	0	1	0
1	0	1	0
1	0	1	0
1	0	1	0
1	0	1	-1
1	0	1	-1
1	0	1	-1
1	0	1	-1
1	0	3	0
1	0	3	0
1	0	3	0
1	0	2	0
1	0	2	0
1	0	2	0
1	0	2	0
1	0	3	-1
1	0	3	-1

Tamaño de la recesión Fenotipo periodontal t3 Encía queratini; Índice estético (Índice estético (Índice estético (

1	1	3	6	1	1
2	1	2	6	0	1
4	1	3	6	1	1
1	1	3	6	1	1
2	1	2	3	1	1
2	1	3	6	1	1
1	2	7	6	1	1
1	2	7	6	1	1
1	2	4	6	1	1
2	2	4	6	1	1
2	2	3	6	1	1
2	2	3	6	1	1
2	2	4	3	0	1
0	2	4	6	1	1
0	2	5	6	1	1
0	2	5	6	1	1
0	2	5	6	1	1
1	2	5	6	1	1
1	2	4	6	1	1
1	2	4	3	0	1
1	2	4	3	0	1
			0	1	1
			6	1	1
			3	1	1
0		1	6	1	1
0		1	6	1	1
0		1	6	0	1
			3	0	1
			3	0	1
			3	0	1
			0	0	1
0	2	3	6	1	1
0	2	3	6	1	1
0	2	3	6	1	1
0	2	3	6	1	1
-1	2	4	6	1	1
-1	2	4	6	1	1
			6	1	1
			6	1	1
			6	1	1

